

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Solstice® ZD, Solstice® 1233zd (E)
SDS-number : 000000018007
Type of product : Substance
Remarks : SDS according to Art. 31 of Regulation (EC) 1907/2006.

Chemical name : trans-1-Chloro-3,3,3-trifluoropropene
CAS-No. : 102687-65-0
REACH Registration Number : 01-2119855084-38

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Refrigerant
Heat transfer fluid
Uses advised against : none
Short title of exposure scenarios : see Annex

1.3. Details of the supplier of the safety data sheet

Company : Honeywell Specialty Chemicals Seelze GmbH
Wunstorfer Straße 40
30926 Seelze
Germany
Telephone : (49) 5137-999 0
For further information, please contact: : PMTEU Product Stewardship:
SafetyDataSheet@Honeywell.com
Honeywell International, Inc.
115 Tabor Road
Morris Plains, NJ 07950-2546
USA

1.4. Emergency telephone number

Emergency telephone number : +1-703-527-3887 (ChemTrec-Transport)
+1-303-389-1414 (Medical)

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

Country based Poison Control Center : see chapter 15.1

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Gases under pressure Liquefied gas
H280 Contains gas under pressure; may explode if heated.
Long-term (chronic) aquatic hazard Category 3
H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements

REGULATION (EC) No 1272/2008

Hazard pictograms



Signal word : Warning

Hazard statements : H280 Contains gas under pressure; may explode if heated.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : P273 Avoid release to the environment.
P410 + P403 Protect from sunlight. Store in a well-ventilated place.

Special labelling of certain products : Contains fluorinated greenhouse gases.

2.3. Other hazards

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.
Results of PBT and vPvB assessment, see chapter 12.5.

SECTION 3: Composition/information on ingredients

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

3.1. Substance

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
trans-1-Chloro-3,3,3-trifluoropropene	102687-65-0 01-2119855084-38 700-486-0	Aquatic Chronic 3; H412 Press. Gas Liquefied gas; H280	100 %	

3.2. Mixture

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8.
For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.

Inhalation:

Move to fresh air. Artificial respiration and/or oxygen may be necessary. Call a physician immediately.

Skin contact:

After contact with skin, wash immediately with plenty of water. Take off contaminated clothing and shoes immediately. Wash clothing before reuse. Call a physician immediately.

Eye contact:

Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 5 minutes. Call a physician immediately.

Ingestion:

Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms. :

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

The product is not flammable.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Water spray

Carbon dioxide (CO₂)

Dry chemical

Foam

5.2. Special hazards arising from the substance or mixture

This product is not flammable at ambient temperatures and atmospheric pressure.

However, this material can ignite when mixed with air under pressure and exposed to strong ignition sources.

Container may rupture on heating.

Cool closed containers exposed to fire with water spray.

Do not allow run-off from fire fighting to enter drains or water courses.

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.

Exposure to decomposition products may be a hazard to health.

Fire may cause evolution of:

Hydrogen fluoride

Gaseous hydrogen chloride (HCl).

Carbon oxides

Halogenated compounds

Carbonyl halides

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

5.3. Advice for firefighters

Wear full protective clothing and self-contained breathing apparatus.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Wear personal protective equipment. Unprotected persons must be kept away. Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.

6.2. Environmental precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers).

6.3. Methods and materials for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Minimize contact of spilled material with soils to prevent runoff to surface waterways. Place spilled material in an appropriate container for disposal.

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Do not breathe vapours or spray mist. Do not use in areas without adequate ventilation.

Advice on protection against fire and explosion:

Can form a combustible mixture with air at pressures above atmospheric pressure. Keep product and empty container away from heat and sources of ignition.

Hygiene measures:

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Ensure adequate ventilation, especially in confined areas. Remove and wash contaminated clothing before re-use. Contaminated work clothing should not be allowed out of the workplace. Keep working clothes separately. Wash hands before breaks and immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers:

Keep away from direct sunlight. Keep only in the original container in a cool, well ventilated place away from acids.

7.3. Specific end use(s)

Specific use information:

Restricted to professional users.
For industrial use only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks
trans-1-Chloro-3,3,3-trifluoropropene	HONEYWELL TWA	800 ppm		We are not aware of any national exposure limit.

TWA - Time weighted average

DNEL/ PNEC-Values

Component	End-use/impact	Exposure duration	Value	Exposure routes	Remarks
trans-1-Chloro-3,3,3-trifluoropropene	Workers / Long-term systemic effects		1779 mg/m ³	Inhalation	
trans-1-Chloro-3,3,3-trifluoropropene	Consumers / Long-term systemic effects		379 mg/m ³	Inhalation	
trans-1-Chloro-3,3,3-	Consumers /		109mg/kg	Ingestion	

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

trifluoropropene	Long-term systemic effects		bw/d		
------------------	----------------------------	--	------	--	--

Component	Environmental compartment / Value	Remarks
trans-1-Chloro-3,3,3-trifluoropropene	Fresh water: 0,038 mg/l	Assessment factor: 1000
trans-1-Chloro-3,3,3-trifluoropropene	Marine water: 0,0038 mg/l	Assessment factor: 10000
trans-1-Chloro-3,3,3-trifluoropropene	Fresh water sediment: 0,691 mg/kg dw	
trans-1-Chloro-3,3,3-trifluoropropene	Marine sediment: 0,0691 mg/kg dw	
trans-1-Chloro-3,3,3-trifluoropropene	Soil: 0,126 mg/kg dw	

8.2. Exposure controls

Occupational exposure controls

Do not breathe vapours or spray mist.

Engineering measures

Use with local exhaust ventilation.
 Perform filling operations only at stations with exhaust ventilation facilities.

Personal protective equipment

Respiratory protection:

In case of insufficient ventilation wear suitable respiratory equipment.
 Self-contained breathing apparatus (EN 133)

Hand protection:

Glove material: Viton®
 Vitoject® 890
 Gloves must be inspected prior to use.
 Replace when worn.

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

Remarks: Supplementary note: The specifications are based on information and tests from similar substances by analogy.
Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.
Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer recommends to use the chemical protective glove in practice not longer than 50% of the recommended permeation time.
Manufacturer's directions for use should be observed because of great diversity of types .
Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Eye protection:

Safety goggles

Skin and body protection:

Protective footwear

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	gaseous
Colour	:	colourless
Odour	:	slight
molecular weight	:	130,5 g/mol
Melting point/range	:	< -90 °C Method: OECD Test Guideline 102
Boiling point/boiling range	:	19 °C Method: OECD Test Guideline 103
Flammability	:	The product is not flammable. Method: Flammability (gases)
Upper explosion limit	:	None

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

Lower explosion limit	:	None
Flash point	:	Method: ISO 2719 Not applicable
Auto-ignition temperature	:	380 °C at 986,8 - 1.035,9 hPa Method: DIN 51794
Decomposition temperature	:	250 °C
Viscosity, kinematic	:	No data available
Water solubility	:	1,90 g/l at 20 °C Method: OECD Test Guideline 105
Partition coefficient: n-octanol/water	:	log Pow 2,2 at: 25 °C
Vapour pressure	:	1.516 hPa at 30 °C
Vapour pressure	:	1.065 hPa at 20 °C
Density	:	1,27 g/cm ³
Relative vapour density	:	(Air = 1.0) not determined

9.2 Other Information

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available
Viscosity, dynamic	:	No data available

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended storage conditions.

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

Polymerisation can occur.

10.4. Conditions to avoid

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 55 °C.
Can form a combustible mixture with air at pressures above atmospheric pressure.

10.5. Incompatible materials

Strong oxidizing agents
Magnesium
Finely divided aluminium

10.6. Hazardous decomposition products

Halogenated compounds
Carbon oxides
Hydrogen fluoride
Carbonyl halides
Gaseous hydrogen chloride (HCl).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity:
study technically not feasible

Acute dermal toxicity:
study technically not feasible

Acute inhalation toxicity:
LC50

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Honeywell

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

Species: Rat
Value: 120000 ppm
Exposure time: 4 h

Skin irritation:

Species: Rabbit
Result: No skin irritation
Exposure time: 4 h
Method: OECD Test Guideline 404

Eye irritation:

study technically not feasible

Respiratory or skin sensitisation:

Result: Does not cause skin sensitisation.
Classification: Patch test on human volunteers did not demonstrate sensitisation properties.

Repeated dose toxicity:

Species: Rat
Application Route: Inhalation
Exposure time: 90 d
LOAEL: 4000
Method: OECD Test Guideline 413
Note: Subchronic toxicity

Carcinogenicity:

Note: No data available

Germ cell mutagenicity:

Test Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Metabolic activation: with and without metabolic activation
Result: negative

Test Method: Mutagenicity (Escherichia coli - reverse mutation assay)

Metabolic activation: with and without metabolic activation

Result: negative

Method: OECD Test Guideline 471

Test Method: Chromosome aberration test in vitro

Cell type: Human lymphocytes

Result: negative

Method: OECD Test Guideline 473

Species: Rat

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Honeywell

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

Cell type: Bone marrow
Method: Mutagenicity (micronucleus test)
Result: negative

Test Method: Unscheduled DNA synthesis
Species: Rat
Result: negative

Species: Mouse
Cell type: Bone marrow
Method: Mutagenicity (micronucleus test)
Result: negative

Reproductive toxicity:

Test Type: Two-generation study
Method: OECD Test Guideline 416
Species: Rat
Route of Application: inhalation (gas)
General Toxicity - Parent: NOEL: 5.000 ppm
General Toxicity F1: NOEL: 5.000 ppm
Fertility: NOEL: 15.000 ppm
Early Embryonic Development: NOEL: 15.000 ppm
Method: OECD Test Guideline 414
Species: Rat
Route of Application: inhalation (gas)
General Toxicity Maternal: NOEL: 15.000 ppm
Developmental Toxicity: NOEL: 10.000 ppm
Method: OECD Test Guideline 414
Species: Rabbit
Route of Application: inhalation (gas)
General Toxicity Maternal: NOAEC: 15.000 ppm
Developmental Toxicity: NOAEC: 15.000 ppm

Aspiration hazard:

No data available

11.2. Information on other hazards

Endocrine disrupting properties
No data available

Other information:

Excessive exposure may cause central nervous system effects including drowsiness and dizziness.
Cardiac Sensitization (dog): No effects for exposures up to 100000 ppm.

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish:

LC50

Species: *Oncorhynchus mykiss* (rainbow trout)

Value: 38 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to aquatic plants:

EC50

Growth inhibition

Species: *Pseudokirchneriella subcapitata* (green algae)

Value: > 215 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC

Growth rate

Species: *Pseudokirchneriella subcapitata* (green algae)

Value: 115 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to aquatic invertebrates:

EC50

Immobilization

Species: *Daphnia magna* (Water flea)

Value: 82 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

12.2. Persistence and degradability

Biodegradability:

Biodegradation: 0 %

Exposure time: 28 d

Result: Not readily biodegradable.

Method: OECD 301 D

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

12.3. Bioaccumulative potential

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

This substance is not considered to be very persistent and very bioaccumulating (vPvB).
This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product:

Offer surplus and non-recyclable solutions to a licensed disposal company. Refer to manufacturer/supplier for information on recovery/recycling.

Remarks:

The classification of the product may meet the criteria for a hazardous waste. Classification: 14.06.01

Further information:

Provisions relating to waste:
EC Directive 2006/12/EC; 2008/98/EEC
Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

14.1 UN number

ADR/RID:3163

IMDG:3163

IATA:3163

14.2 UN proper shipping name

ADR/RID:LIQUEFIED GAS, N.O.S.(TRANS-1-CHLORO-3,3,3-TRIFLUOROPROPENE)
IMDG:LIQUEFIED GAS, N.O.S.(TRANS-1-CHLORO-3,3,3-TRIFLUOROPROPENE)

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

IATA:Liquefied gas, n.o.s.(Trans-1-Chloro-3,3,3-trifluoropropene)

14.3 Transport hazard class(es)

ADR/RID: 2.2

IMDG: 2.2

IATA: 2.2

14.4 Packaging group

14.5 Environmental hazards

ADR/RID:no

Marine pollutant: no

14.6 Special precautions for user

No data available

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of ≥ 0.1 % (w/w).

VOC:

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control), 100 %

VOC:

Directive 2004/42/EC, 100 %

Poison Control Center

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233

Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	0382 24444
Germany	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
	Freiburg : 0761/19240
	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
Munich : 089/19240	
Latvia	+37167042473

Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	808250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation); +46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

Other inventory information

US. Toxic Substances Control Act
On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act
On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)
All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List
On the inventory, or in compliance with the inventory

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

Korea. Existing Chemicals Inventory (KECI)
On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS)
Not in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC)
On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand
On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Text of H-statements referred to under heading 3

trans-1-Chloro-3,3,3-trifluoropropene : H412 Harmful to aquatic life with long lasting effects.
H280 Contains gas under pressure; may explode if heated.

Further information

All directives and regulations refer to amended versions.
Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community
CAS Chemical Abstracts Service
DNEL Derived no effect level
PNEC Predicted no effect level
vPvB Very persistent and very bioaccumulative substance
PBT Persistent, bioaccumulative and toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

Solstice® ZD, Solstice® 1233zd (E)

000000018007

Version 1.5

Revision Date 07.06.2021

materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.
